

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	9274	bennett.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/21 16:45
S2	1	bennett.in. and 10/741332	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 07:06
S3	1130	data\$base with manag\$6 with hardware	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 07:06
S4	409	data\$base with manag\$6 with hardware and data\$base with query	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 07:06
S5	1	data\$base with manag\$6 with hardware and data\$base with query and query with operator with operand	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 07:07
S6	54	data\$base with manag\$6 with hardware and data\$base with query and pars\$4 with query	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 07:08
S7	2	data\$base with manag\$6 with hardware and data\$base with query and pars\$4 with query and (conver\$4 chand\$4 replac\$4 translat\$4) with instruction	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 07:26
S8	15	data\$base with manag\$6 with hardware and data\$base with query and pars\$4 with query and (conver\$4 chand\$4 replac\$4 translat\$4) with (command sql instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 07:26
S9	3	data\$base with manag\$6 with hardware and data\$base with query and pars\$4 with query and (conver\$4 chand\$4 replac\$4 translat\$4) with (command sql instruction) and execution near (hierarch\$4 tree order)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 07:14
S10	3	data\$base with manag\$6 with hardware and data\$base with query and pars\$4 with query and (conver\$4 chang\$4 replac\$4 translat\$4) with instruction	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 07:26

S11	18	data\$base with manag\$6 with hardware and data\$base with query and pars\$4 with query and (conver\$4 chang\$4 replac\$4 translat\$4) with (command sql instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 07:27
S12	3	data\$base with manag\$6 with hardware and data\$base with query and pars\$4 with query and (conver\$4 chang\$4 replac\$4 translat\$4) with (command sql instruction) and execution near (hierarchy tree order)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 07:33
S13	159	execution adj tree	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 07:33
S14	23	execution adj tree and select\$4 near (instruction command)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:49
S15	1	execution adj tree and select\$4 near (instruction command) and un\$resolved near dependency	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 07:34
S16	1	execution adj tree and select\$4 near (instruction command) and (send\$4 submit\$4 transmit\$4 pars\$4) with (instruction command statement) with execution near unit	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 07:36
S17	1	execution adj tree and select\$4 near (instruction command) and (send\$4 submit\$4 transmit\$4 pars\$4) with execution near unit	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 07:36
S18	1	execut\$4 near tree and select\$4 near (instruction command) and (send\$4 submit\$4 transmit\$4 pars\$4) with execution near unit	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 07:37
S19	1	execut\$4 near tree and (determin\$4 choos\$4 pick\$4 select\$4) near (instruction command) and (send\$4 submit\$4 transmit\$4 pars\$4) with execution near unit	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 07:37
S20	10	execut\$4 near tree and (determin\$4 choos\$4 pick\$4 select\$4) near (instruction command) and (send\$4 submit\$4 transmit\$4 pars\$4) and execution near unit	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:15

S21	4	execut\$4 near tree and (determin\$4 choos\$4 pick\$4 select\$4) near (instruction command) and (send\$4 submit\$4 transmit\$4 pars\$4) and execution near unit and (manipulat\$4 process) with data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 07:39
S22	2	execut\$4 near tree and (determin\$4 choos\$4 pick\$4 select\$4) near (instruction command) and (send\$4 submit\$4 transmit\$4 pars\$4) and execution near unit and (manipulat\$4 process) with data with instruction	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 07:38
S23	0	S21 not S20	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:09
S24	6	S20 not S21	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:09
S25	1	execut\$4 near tree and (determin\$4 choos\$4 pick\$4 select\$4) near (instruction command) and (send\$4 submit\$4 transmit\$4 pars\$4) and execution near unit and graph with engine	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:16
S26	3228	data\$base with manipulats\$4 and read\$4 and (alter\$4 chang\$4 modif\$4) and (add\$4 insert\$4) and delet\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:18
S27	146	data\$base with manipulats\$4 and (read\$4 and (alter\$4 chang\$4 modif\$4) and (add\$4 insert\$4) and delet\$4) near data	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:18
S28	113	data\$base with manipulats\$4 and (read\$4 and (alter\$4 chang\$4 modif\$4) and (add\$4 insert\$4) and delet\$4) near data and graph\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:18
S29	2	data\$base with manipulats\$4 and (read\$4 and (alter\$4 chang\$4 modif\$4) and (add\$4 insert\$4) and delet\$4) near data and graph\$4 and graph\$4 adj engine	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:21
S30	18	data\$base with manipulats\$4 and (read\$4 and (alter\$4 chang\$4 modif\$4) and (add\$4 insert\$4) and delet\$4) and graph\$4 and graph\$4 adj engine	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:38

S31	13	data\$base with manipulats\$4 and (read\$4 and (alter\$4 chang\$4 modif\$4) and (add\$4 insert\$4) and delet\$4) and graph\$4 and graph\$4 adj engine and query	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:22
S32	5	data\$base with manipulats\$4 and (read\$4 and (alter\$4 chang\$4 modif\$4) and (add\$4 insert\$4) and delet\$4) and graph\$4 and graph\$4 adj engine and query and pars\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:37
S33	18	data\$base with manipulats\$4 and (read\$4 and (alter\$4 chang\$4 modif\$4) and (add\$4 insert\$4) and delet\$4) and graph\$4 and graph\$4 adj engine	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:47
S34	13	S33 not S32	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:38
S35	13	S33 not S32 not bennett.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:38
S36	10	S33 not S32 and execution not bennett.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:39
S37	0	S33 not S32 and execution adj unit not bennett.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:39
S38	0	S33 not S32 and execution near unit not bennett.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:39
S39	0	S33 not S32 and execution with unit not bennett.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:39
S40	0	S33 not S32 and execution with order not bennett.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:39
S41	6	S33 not S32 and execution with (command query) not bennett.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:42

S42	1	S33 not S32 and execution with (command query) and sql not bennett.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:42
S43	7	data\$base with manipulats\$4 and (read\$4 and (alter\$4 chang\$4 modif\$4) and (add\$4 insert\$4) and delet\$4) and manipulats\$4 with graph\$4 adj engine	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:47
S44	7	manipulats\$4 with data with graph with engine	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:50
S45	27	manipulats\$4 with graph with engine	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:50
S46	23	manipulats\$4 with graph with engine not bennett.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:53
S47	2	manipulats\$4 with graph with engine and manipulats\$4 with (instruction command) not bennett.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:58
S48	0	manipulats\$4 with (graph adj engine) not bennett.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:53
S49	0	manipulats\$4 with (graph near engine) not bennett.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:53
S50	23	manipulats\$4 with (graph with engine) not bennett.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:54
S51	0	manipulats\$4 with (graph with engine) and query and sql not bennett.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:54
S52	0	manipulats\$4 with (graph with engine) and sql not bennett.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:55
S53	3	manipulats\$4 with (graph with engine) and query not bennett.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:55

S54	2	manipulat\$4 with graph with engine and manipulat\$4 with (instruction command) and access\$4 with data\$base not bennett.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:59
S55	1	manipulat\$4 with graph with engine and manipulat\$4 with (instruction command) and access\$4 with data\$base and (data object graph) with (add\$4)not bennett.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 08:59
S56	1	manipulat\$4 with graph with engine and manipulat\$4 with (instruction command) and access\$4 with data\$base and (data object graph) with (add\$4 and delet\$4)not bennett.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 09:00
S57	1	manipulat\$4 with graph with engine and manipulat\$4 with (instruction command) and access\$4 with data\$base and (data object graph) with (add\$4 and delet\$4 and (modif\$4 alter\$4 chang\$4))not bennett.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 09:00
S58	1	manipulat\$4 with graph with engine and manipulat\$4 with (instruction command) and access\$4 with data\$base and (data object graph) with (add\$4 and delet\$4 and (modif\$4 alter\$4 chang\$4) and read\$4)not bennett.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 09:40
S59	0	manipulat\$4 with graph with engine and manipulat\$4 with (instruction command) and access\$4 with data\$base and (data object graph) with (add\$4 and delet\$4 and (modif\$4 alter\$4 chang\$4) and read\$4) and requir\$4 with access\$4 not bennett.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 09:40
S60	1	manipulat\$4 with graph with engine and manipulat\$4 with (instruction command) and access\$4 with data\$base and (data object graph) with (add\$4 and delet\$4 and (modif\$4 alter\$4 chang\$4) and read\$4) and manipulat\$4 with (instruction command) not bennett.in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 09:48

S61	6	manipulat\$4 with graph with engine and manipulat\$4 with (instruction command) and access\$4 with data\$base	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 09:49
S62	1	manipulat\$4 with graph with engine and manipulat\$4 with (instruction command) and access\$4 with data\$base and query with operator with operand	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 09:49
S63	1	data\$base and manipulat\$4 with graph and graph with engine and manipulat\$4 with (instruction command) and access\$4 with data\$base and query with operator with operand	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 09:50
S64	1	data\$base with manipulat\$4 and graph with engine and manipulat\$4 with (instruction command) and access\$4 with data\$base and query with operator with operand	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 09:51
S65	1	data\$base with manipulat\$4 and graph with engine and access\$4 with data\$base and query with operator with operand	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 09:51
S66	1	data\$base with manipulat\$4 and graph near engine and query with operator with operand	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 09:52
S67	6	data\$base with manipulat\$4 and graph near engine	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 09:52
S68	1	data\$base with manipulat\$4 and graph near engine and operator with operand	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/22 09:52